AN-01 Whales: matrilineal societies and menopause

The evolution of a post-reproductive lifespan represents one of the most profound biological paradoxes in evolutionary ecology. Classical life-history theory, foundational to modern evolutionary biology, posits that natural selection should penalize the premature cessation of reproduction; an organism's ultimate imperative is to maximize its inclusive fitness by reproducing continuously until the end of its physiological lifespan (Williams, 1957; Hamilton, 1966). Yet, an extended post-reproductive lifespan (PRLS)—colloquially known as menopause—has evolved independently in humans and a highly selective clade of toothed whales (Odontoceti). Robust evidence for this phenomenon is currently restricted to five cetacean species: killer whales (*Orcinus orca*), short-finned pilot whales (*Globicephala macrorhynchus*), false killer whales (*Pseudorca crassidens*), belugas (*Delphinapterus leucas*), and narwhals (*Monodon monoceros*)[1].

Understanding why these specific species decoupled somatic senescence from reproductive senescence requires a rigorous, multidimensional analysis of their biology, demography, and highly complex social structures. This report establishes a foundational framework for analyzing how and why these societies evolved, separating the evidence into three distinct analytical layers: physiology (the measurable biological substrates of ageing), behaviour (the statistical distributions of survival, cooperation, and reproductive conflict), and culture (the variable transmission of non-genetic ecological knowledge).

Layer 1: Physiology (Measurable Constraints and Life History)

The physiological reality of menopause is defined by the permanent cessation of ovulation decades before the end of the organism's natural somatic lifespan. In cetaceans, measuring this physiological baseline is inherently challenging but relies on the precise quantification of ovarian activity and the exhaustion of ovarian follicles in deceased specimens.

Ovarian Senescence and Post-Reproductive Representation

In the vast majority of mammalian species, reproductive capability declines concurrently and proportionally with overall somatic degradation. To establish whether toothed whales exhibit true, evolved menopause rather than merely living past their reproductive prime due to statistical anomalies, researchers utilize a specialized demographic metric known as Post-Reproductive Representation (PrR). PrR calculates the proportion of adult years lived by an entire population that are post-reproductive (Levitis & Lackey, 2011)[4].

Ellis et al. (2018, *Scientific Reports*) conducted a landmark physiological study quantifying ovarian activity across 72 cetacean species by examining the number of dormant ovarian follicles[2]. Because whales do not completely degrade their follicles post-ovulation, researchers can accurately measure an individual's reproductive age and remaining ovarian reserve. The study demonstrated that in belugas, narwhals, and short-finned pilot whales, reproductive cells

deteriorate at a significantly accelerated rate compared to somatic cells. In narwhals, for instance, the data indicates that nearly 50% of females survive well past the physiological cessation of their reproductive functions, which typically occurs around age 40, despite a maximum somatic lifespan extending beyond 70 years[6]. This provides robust, measurable evidence that menopause in these species is an evolved physiological trait inscribed in their biology, rather than an artefact of environmental protection or sampling error.

The "Live-Long" vs. "Stop-Early" Hypotheses

A central controversy in evolutionary anthropology and biology has been the specific physiological pathway through which menopause evolved. Two competing models emerged: the "stop-early" hypothesis, which posits that menopausal species evolved a truncated reproductive span to avoid late-life pregnancy risks, and the "live-long" hypothesis, which argues that these species evolved an extended somatic lifespan while maintaining a standard mammalian reproductive span.

Ellis et al. (2024, *Nature*) resolved this physiological debate by analyzing a comprehensive comparative database of 18 whale species, encompassing four species with documented menopause and 14 closely related species without it[1]. The findings unequivocally support the "live-long" hypothesis. The authors demonstrated that species experiencing menopause do not possess shorter reproductive spans than similarly sized non-menopausal species. Instead, the somatic lifespan of menopausal females has been extended by approximately 40 years[1]. This physiological decoupling allows females to live for decades post-reproduction without increasing the period of reproductive overlap with their daughters—a finding that remarkably mirrors the evolutionary pathway established for human menopause[1].

Species	Estimated Reproductive Cessation Age	Estimated Maximum Lifespan	Physiological Pathway to Menopause
Killer Whale (*Orcinus orca*)	~39-40 years	80-90+ years	"Live-long" (Extended somatic lifespan)
Short-finned Pilot Whale (*G. macrorhynchus*)	~35-40 years	60+ years	"Live-long" (Extended somatic lifespan)
Narwhal (*Monodon monoceros*)	~40 years	70+ years	"Live-long" (Extended somatic lifespan)
Beluga (*Delphinapterus*	~40 years	70+ years	"Live-long" (Extended somatic

leucas)			lifespan)
False Killer Whale (*P. crassidens*)	~40-45 years	60+ years	"Live-long" (Extended somatic lifespan)

Layer 2: Behaviour (Statistical Distributions and Kinship Dynamics)

While physiological data outlines the biological constraints, the evolutionary drivers of menopause are deeply rooted in the behavioural layer. This layer is governed by statistical distributions of survival, cooperation, and reproductive conflict, all of which are dictated by the demographic structures of these matrilineal societies.

Kinship Dynamics and Bisexual Philopatry

The foundational theoretical model explaining the evolution of menopause in cetaceans was proposed by Johnstone and Cant (2010, *Proceedings of the Royal Society B*)[8]. Utilizing demographic models and Leslie matrices, they formulated the concept of "kinship dynamics"—the predictable, age-related changes in an individual's local genetic relatedness within a social group.

In resident killer whales and short-finned pilot whales, societies exhibit a rare demographic structure known as strict bisexual philopatry combined with extra-group mating[9]. In this system, both male and female offspring remain in their natal pod for life, but individuals only mate with members of different, unrelated pods during temporary social aggregations. Consequently, when a female is born, she is highly related to her mother but has low average relatedness to the adult males in the pod, as her father resides elsewhere. As she ages and begins reproducing, her daughters stay in the pod and reproduce, and crucially, her sons also remain in the pod, though their offspring are born into other pods[10].

Statistically, this means her genetic relatedness to her immediate social group strictly increases with age[10]. This increasing local relatedness creates a powerful, mathematically predictable selective pressure: older females gain exponentially more inclusive fitness by halting their own reproduction and transitioning to helping behaviours that ensure the survival of their increasingly related group members.

Intergenerational Reproductive Conflict

Why do older females not simply continue to reproduce while *also* helping their kin? The answer lies in the intense costs of intergenerational reproductive conflict. Cant and Johnstone (2008, *Proceedings of the National Academy of Sciences*) proposed that when older and younger females in a matriline co-breed, the asymmetrical relatedness dynamics inherently favour the younger female[11]. Because the older female is highly related to the younger female's calf (her grandoffspring), but the younger female has much lower relatedness to the older

female's new calf (her half-sibling), the younger female is evolutionarily incentivized to invest more heavily in aggressive competition for local resources.

Croft et al. (2017, *Current Biology*) provided the empirical confirmation of this theoretical conflict in resident killer whales. By analyzing decades of longitudinal demographic records, they demonstrated that when a mother and daughter reproduce simultaneously, the mortality hazard for the older-generation female's calf is 1.7 times higher than that of the younger-generation female's calf[10]. The energetic costs and mortality penalties of co-reproduction are too steep; the older female is statistically outcompeted by her own daughter, driving the evolutionary cessation of the older female's fertility to zero.

The Grandmother Effect on Survival

The theoretical prediction that older females offset their loss of direct reproduction by enhancing the survival of their kin was robustly validated by Nattrass et al. (2019, *Proceedings of the National Academy of Sciences*). Utilizing over 40 years of longitudinal census data from the Center for Whale Research and Fisheries and Oceans Canada—comprising a verified sample size of 378 individuals with known grandmothers—the authors tested the "grandmother effect" using extended Cox proportional hazards models[13].

The effect sizes observed are monumental. Grandoffspring whose maternal grandmother died within the previous two years faced a mortality hazard ratio (HR) 4.5 times higher than those with a living grandmother, even when controlling for external ecological variables such as average salmon abundance[13]. Crucially, the statistical models revealed that post-reproductive grandmothers provide significantly more survival benefits than grandmothers who are still reproducing. The loss of a post-reproductive grandmother increased the mortality risk of grandoffspring by an additional factor of 1.5, resulting in a compounded 6.7-fold increase in mortality risk[13]. This finding, which has replicated across both Northern and Southern Resident killer whale populations, provides definitive evidence that by ceasing reproduction, grandmothers avoid resource allocation conflicts and provide dedicated, life-saving intergenerational help.

Mother-Son Bonds and the "Mama's Boy" Strategy

The behavioural investment of post-reproductive females is not distributed equally; it is heavily, almost exclusively, skewed toward their adult sons. Foster et al. (2012, *Science*) analysed a dataset of 589 individually identifiable resident killer whales, of which 297 died during the study period[15]. The hazard models revealed a stark sex-specific asymmetry: the death of a post-reproductive mother increased the mortality risk of her adult sons (over 30 years old) by an astounding 13.9-fold in the year following her death. In contrast, the mortality risk for adult daughters increased by a factor of 5.4[15].

This extreme maternal investment carries severe, measurable behavioural costs. Weiss et al. (2023, *Current Biology*) quantified this by demonstrating that raising a surviving son reduces a mother's annual probability of producing a subsequent viable calf by more than 50%[16]. Utilizing data on 40 adult females from the Southern Resident population, the study showed that this negative effect does not attenuate as the son ages, representing the first direct evidence of lifelong maternal investment in an iteroparous animal[17]. Females actively hunt and share large

portions of their catch with their fully grown sons—for instance, researchers have documented a mother (K16) biting a Chinook salmon in half to provision a son who is physiologically capable of hunting for himself[18].

Furthermore, Grimes et al. (2023, *Current Biology*) documented that post-reproductive female killer whales actively protect their sons from socially inflicted injuries. Males with living post-reproductive mothers display significantly fewer "rake marks" (scarring from the teeth of other whales), indicating that mothers provide a physical and social buffer against intra-specific conflict[19].

From an evolutionary perspective, investing heavily in sons maximizes a female's inclusive fitness without increasing local resource competition. Because the son will sire calves in other pods, he propagates his mother's genes globally while burdening other, unrelated matrilines with the intense energetic costs of gestation, lactation, and calf-rearing locally[15]. Adult males thus act as massive resource sinks within their own pods, but highly efficient genetic vectors for their matrilines.

Behavioural Metric	Source	Sample Size	Effect Size / Finding	Replicated?
Grandoffspring Survival	Nattrass et al., 2019 (*PNAS*)	$N = 378$	HR = 4.5x higher mortality upon grandmother's death.	Yes (across NRKW and SRKW populations)
Adult Son Survival	Foster et al., 2012 (*Science*)	$N = 589$	13.9-fold mortality increase for sons >30 if post-reproductive mother dies.	Yes
Reproductive Cost of Sons	Weiss et al., 2023 (*Current Biol*)	$N = 40$ adult females	>50% reduction in annual calving probability per surviving son.	Newly established
Co-breeding Calf Mortality	Croft et al., 2017 (*Current Biol*)	Long-term census data	1.7x higher mortality for calves of older females	Widely cited demographic consensus

			breeding simultaneously with daughters.	

Layer 3: Culture (Variable, Transmitted Knowledge)

The third layer defining these matrilineal societies is culture: the non-genetic transmission of variable ecological knowledge, foraging techniques, and social dialects. In species with lifespans that extend across decadal environmental cycles, the retention of ecological memory by post-reproductive females acts as the primary buffer against extinction.

Ecological Leadership and Decision Making

Brent et al. (2015, *Current Biology*) provided empirical evidence of this cultural layer in killer whales. Using thousands of hours of observational data, they demonstrated that post-reproductive females take on unique leadership roles during collective movement and foraging[21]. Crucially, this leadership is highly context-dependent: older females are significantly more likely to lead the pod during years of low Chinook salmon abundance. Because older females possess decades of ecological memory regarding the spatial and temporal distribution of prey during rare ecological bottlenecks, their cultural knowledge prevents group starvation[22]. They essentially function as living archives of survival strategies.

Vocal Dialects, Alloparenting, and Deep-Sea Foraging

Cultural transmission is equally vital in other matrilineal cetaceans, dictating survival in extreme environments. Sperm whales (*Physeter macrocephalus*) live in complex, matrilineal societies characterized by distinct vocal clans. Rendell and Whitehead (2001) established that sympatric variation in vocal "codas" (rhythmic click patterns) among sperm whale clans represents a profound form of cultural transmission, functioning similarly to human dialects[23].

Because sperm whales must undertake deep, prolonged dives into the mesopelagic zone to hunt squid, their calves—who lack the physiological oxygen capacity and pressure tolerance for such dives—must be left at the surface. Gero and Whitehead documented extensive "alloparenting" or babysitting, where adult females take turns remaining at the surface to protect and nurse the calves of diving mothers[24]. This cultural system of cooperative childcare requires immense social trust, is mediated through their complex acoustic communication networks, and allows the matriline to exploit resources that would otherwise be inaccessible to a solitary mother.

Similarly, narwhals rely on highly sophisticated acoustic communication to maintain matrilineal cohesion in dense Arctic ice. Research by Charrier and colleagues demonstrates that narwhals utilize distinct vocal pulses for coordination and mother-calf communication, ensuring that matrilines do not fracture during complex under-ice navigation[27].

Prey Sharing and Network Connectivity

In false killer whales (*Pseudorca crassidens*), culture is observed through highly structured

prey-sharing behaviours and network connectivity. Robin Baird and colleagues at the Cascadia Research Collective have documented that the endangered main Hawaiian Islands population—comprising roughly 140 individuals—is partitioned into specific social clusters with distinct stable isotopic niches and foraging cultures[29].

When a false killer whale captures large, high-energy pelagic game fish (such as mahi-mahi, wahoo, or yellowfin tuna), the prey is not consumed individually. Instead, it is actively passed and shared among the matrilineal group members, akin to tossing a frisbee[32]. This culturally transmitted resource-sharing buffers individuals against the high variability of pelagic hunting success, ensuring that all members of the social network receive adequate caloric intake. However, this same cultural foraging technique places them in direct, lethal conflict with commercial and recreational human fisheries, leading to fatal hookings and entanglements that are driving the population toward localized extinction[32].

Genetic vs. Ecological Explanations

The evolution of menopause requires both a genetic architecture (kinship dynamics) and an ecological catalyst. While the Johnstone and Cant (2010) model perfectly describes the genetic relatedness gradients that favour menopause, it does not explain why other mammals with increasing local relatedness do not evolve the trait[9].

The ecological explanation posits that menopause only evolves in environments where the localized retention of knowledge or extreme parental provisioning yields disproportionate survival benefits. Killer whales rely on highly variable, patchy resources (Chinook salmon runs); sperm whales rely on deep-sea squid requiring alloparenting surface strategies; and false killer whales hunt fast-moving pelagic game fish requiring cooperative sharing. Without the harsh ecological demands that make maternal and grandmaternal knowledge a literal matter of life and death, the genetic predisposition for menopause remains dormant.

Controversies and Leading Critics

The evolutionary models of menopause are not without vigorous debate within the scientific community. The strongest evidence against the universality of the inclusive-fitness/reproductive-conflict model comes from closely related species that share similar social structures but entirely lack menopause.

The Long-Finned Pilot Whale Anomaly

The most prominent challenge to the current paradigm involves the long-finned pilot whale (*Globicephala melas*). This species shares the strict bisexual philopatry and matrilineal social structure of its sister species, the short-finned pilot whale. According to the Johnstone and Cant (2010) kinship dynamics model, long-finned pilot whales should experience the exact same selective pressures to evolve menopause. Yet, they do not; females exhibit a gradual reduction in reproductive rate but continue to reproduce until the very end of their lives[34].

McCormack, Arbuckle, and Nichols (2023, *Behavioral Ecology*) addressed this anomaly through a detailed parentage analysis of 25 pods of long-finned pilot whales off Cape Breton[35]. Their findings revealed a critical behavioural divergence: in long-finned pilot whales, there is no evidence of intergenerational reproductive conflict. Mothers actively assist their inexperienced daughters in reproducing, and older females do not suffer a calf mortality penalty when

co-breeding with their daughters[35].
The leading critics of the universal menopause model argue that without the strict cost of reproductive conflict, mother and grandmother effects alone are entirely insufficient to drive the evolution of a permanent post-reproductive lifespan[35]. Thus, for menopause to evolve, a species requires the simultaneous presence of high inclusive-fitness benefits for helping *and* high direct-fitness costs for continuing to breed.

Adaptive Trait vs. Epiphenomenon

Historically, critics rooted in classical gerontology argued that menopause is a non-adaptive epiphenomenon—a mere side effect of modern environmental improvements (or benign conditions) allowing mammals to outlive their fixed ovarian reserve. Researchers such as Cohen (2004) and Levitis maintain that distinguishing between somatic mismatch and true adaptive evolution requires rigorous physiological baselines, arguing that the PrR metric can be easily skewed by measurement inconsistencies[36]. While the extensive comparative dataset assembled by Ellis et al. (2024) strongly refutes the epiphenomenon hypothesis for cetaceans, demonstrating an active evolutionary extension of somatic lifespan, the boundary cases (such as chimpanzees and elephants, which show strong helping behaviours but no true, permanent menopause) keep the academic debate highly active[38].

Averages vs. Individuals: The Moderating Role of Ecology

A rigorous scientific analysis must clearly distinguish between statistical averages derived from demographic matrices and the lived, highly variable reality of individual whales. Evolutionary models (such as the Gompertz mortality equation or Cox proportional hazards) predict average selective pressures acting over millennia. However, individual behaviour is heavily modulated by immediate ecological realities.
The grandmother effect and the mother-son survival dependencies are powerful statistical averages (e.g., HR of 4.5 or 13.9). However, not every calf dies without its mother, and not every matriarch successfully leads her pod to food. Ward et al. (2009, *Journal of Applied Ecology*) demonstrated that killer whale reproduction and survival are overwhelmingly dictated by the raw environmental abundance of Chinook salmon[40]. In years of abundant salmon, the mortality risk mitigated by the presence of a grandmother is less critical. Conversely, during years of severe ecological collapse, the baseline probability of *any* female calving drops by 50% regardless of the pod's social structure or the presence of a wise matriarch[40].
Furthermore, individual investment varies dynamically. The "Mama's Boy" strategy assumes all sons are equally viable for extra-group mating. In reality, individual females may dynamically adjust their investment based on the physical condition of specific sons, their own somatic reserves, and the exact demographic composition of their pod at a given time. If a pod contains no viable daughters, the matriline will eventually collapse, regardless of how successfully a matriarch's sons sire calves in neighboring pods. Thus, while genetics load the evolutionary dice, local ecology rolls them.

10-Line Summary of Robust Findings

Menopause is an evolved, adaptive physiological trait in five toothed whale species, achieved by extending somatic lifespan without lengthening the reproductive span. This trait evolved convergently in cetaceans and humans, driven by the unique demographic structure of bisexual philopatry combined with extra-group mating. This demographic structure ensures a female's genetic relatedness to her social group increases strictly as she ages. By halting reproduction, older females avoid intense intergenerational reproductive conflict, which otherwise causes a 1.7-fold increase in calf mortality for older mothers. Post-reproductive grandmothers dramatically enhance kin survival, with their death increasing grandoffspring mortality by a factor of 4.5. Maternal investment is extraordinarily sex-biased; the death of a mother increases the mortality risk of adult sons by 13.9-fold. Supporting adult sons imposes a massive reproductive penalty on mothers, halving their probability of producing subsequent viable calves. Post-reproductive females function as cultural repositories, leading their pods during severe ecological shortages and directing cooperative prey-sharing. Cooperative childcare, such as sperm whale alloparenting during deep dives, relies entirely on the social stability provided by these matrilineal structures. The absence of menopause in long-finned pilot whales proves that intense reproductive conflict is an absolute prerequisite for the evolution of a post-reproductive lifespan.

Contested or Open Questions

- **The Biological Trigger:** What are the exact physiological, epigenetic, and endocrinological mechanisms that trigger the rapid deterioration of ovarian follicles in toothed whales at age 40, despite somatic health continuing for decades?
- **Male Senescence and Utility:** Do older, non-dispersing males contribute culturally or socially to the pod's survival, or are they purely reproductive vectors for the matriline and localized resource sinks?
- **The Long-Finned Anomaly:** What specific ecological or behavioural factors allow the long-finned pilot whale to completely escape the steep costs of intergenerational reproductive conflict that uniformly plague killer whales and short-finned pilot whales?
- **Sperm Whale Menopause:** While sperm whales exhibit extreme alloparenting and matrilineal structures, the exact statistical boundaries of a distinct, permanent post-reproductive phase (PrR) in this species remain highly contested in the literature.
- **Cultural Rigidity vs. Adaptation:** In the face of rapid anthropogenic climate change and catastrophic prey depletion, can the rigid, historically based cultural memory of post-reproductive matriarchs adapt fast enough to lead pods to novel food sources, or will historical reliance prove maladaptive?

Key Sources to Read in Full

1. **Ellis, S., et al. (2024).** "The evolution of menopause in toothed whales." *Nature*, 627, 579-585. (The definitive comparative analysis proving the "live-long" physiological pathway across multiple species).
2. **Johnstone, R.A., & Cant, M.A. (2010).** "The evolution of menopause in cetaceans and humans: the role of demography." *Proceedings of the Royal Society B*. (The foundational mathematical model of kinship dynamics and relatedness).

3. **Nattrass, S., et al. (2019).** "Postreproductive killer whale grandmothers improve the survival of their grandoffspring." *Proceedings of the National Academy of Sciences*. (The primary statistical proof of the grandmother effect on survival).
4. **Weiss, M.N., et al. (2023).** "Costly lifetime maternal investment in killer whales." *Current Biology*. (Establishes the extreme, lifelong reproductive costs of raising adult sons).
5. **Foster, E.A., et al. (2012).** "Adaptive prolonged postreproductive life span in killer whales." *Science*. (The pivotal hazard ratio study demonstrating mother-son survival dependencies).
6. **Brent, L.J.N., et al. (2015).** "Ecological knowledge, leadership, and the evolution of menopause in killer whales." *Current Biology*. (Explores the cultural transmission layer and context-dependent leadership).
7. **Cant, M.A., & Johnstone, R.A. (2008).** "Reproductive conflict and the separation of reproductive generations in humans." *Proceedings of the National Academy of Sciences*. (Theoretical framework defining intergenerational conflict).
8. **McCormack, J.L., et al. (2023).** "Lack of intergenerational reproductive conflict, rather than lack of inclusive fitness benefits, explains absence of post-reproductive lifespan in long-finned pilot whales." *Behavioral Ecology*. (The leading counter-evidence regarding necessary evolutionary prerequisites).
9. **Croft, D.P., et al. (2017).** "Reproductive Conflict and the Evolution of Menopause in Killer Whales." *Current Biology*. (Empirical proof of the severe calf mortality penalty during co-breeding).
10. **Rendell, L., & Whitehead, H. (2001).** "Culture in whales and dolphins." *Behavioral and Brain Sciences*. (Foundational text establishing vocal clans, alloparenting, and culture in sperm whales).

Implications for Living Together

Note: The following synthesis applies insights from evolutionary behavioural ecology to human social organization. It strictly avoids the naturalistic fallacy: the recognition that a behaviour is "natural" or evolutionarily successful in cetaceans does not imply it is morally "good," ethically desirable, or rigidly prescriptive for human societies.

The convergent evolution of menopause in toothed whales and humans reveals that highly complex, long-lived societies often require a structural transition from biological reproduction to social and cultural stabilization. In human families, communities, and organizations, the cetacean model demonstrates the immense, statistically measurable value of the post-reproductive or post-promotional life stage. When older individuals step back from direct competition for resources or immediate status (akin to reproductive conflict) and redirect their energy toward mentoring, buffering against external threats, and distributing institutional knowledge, the entire group's survival metrics increase dramatically.

For couples and families, the cetacean data underscores the asymmetrical costs of raising offspring and the profound impact of intergenerational support. The "grandmother effect" highlights that extended family structures—where elders provide alloparenting and resource sharing—are not mere cultural inventions, but deep evolutionary adaptations designed to maximize the viability of the next generation. It also serves as a stark reminder of the

physiological and energetic costs of localized competition; when overlapping generations attempt to extract the same finite resources simultaneously, systemic friction increases, leading to detrimental outcomes for the collective.

For organizations and societies, the ecological leadership demonstrated by post-reproductive matriarchs suggests that crisis management relies heavily on historical memory. In periods of resource abundance and stability, the contributions of elders may seem statistically muted. However, during environmental or economic bottlenecks (akin to the collapse of salmon runs), the retained cultural knowledge of those who have navigated past crises becomes the primary mechanism for group survival. Constructing societies that actively integrate and value post-competitive elders—not as relics, but as active leaders, knowledge repositories, and social buffers—aligns with one of the most successful evolutionary strategies ever developed for navigating complex, volatile environments.

Works cited

1. Menopause explains why some female whales live so long, https://www.sciencedaily.com/releases/2024/03/240313135632.htm
2. (PDF) Analyses of ovarian activity reveal repeated evolution of post, https://www.researchgate.net/publication/326477851_Analyses_of_ovarian_activity_reveal_repeated_evolution_of_post-reproductive_lifespans_in_toothed_whales
3. Bayesian inference of toothed whale lifespans - Oxford Academic, https://academic.oup.com/biolinnean/article/145/1/blaf022/8151217
4. The slow moon climbs : the science, history, and meaning of, https://dokumen.pub/the-slow-moon-climbs-the-science-history-and-meaning-of-menopause-0691171637-9780691171630.html
5. Inference on age-specific fertility in ecology and evolution. Learning, https://pure.mpg.de/rest/items/item_3661407_5/component/file_3661408/content
6. Menopause in belugas and narwhals - Baleines en direct, https://baleinesendirect.org/en/belugas-et-narvals-en-menopause/
7. The evolution of menopause in toothed whales - PubMed, https://pubmed.ncbi.nlm.nih.gov/38480878/
8. Evolution of Menopause and the Mama's Boy Hypothesis | bioRxiv, https://www.biorxiv.org/content/10.64898/2026.06.17.732386v1.full-text
9. (PDF) The evolution of menopause in cetaceans and humans, https://www.researchgate.net/publication/44888629_The_evolution_of_menopause_in_cetaceans_and_humans_The_role_of_demography
10. (PDF) Reproductive Conflict and the Evolution of Menopause in, https://www.researchgate.net/publication/312320525_Reproductive_Conflict_and_the_Evolution_of_Menopause_in_Killer_Whales
11. Reproductive conflict and the separation of reproductive generations, https://www.kokkonuts.org/wp-content/uploads/Reproductive_Conflict_Main.pdf
12. Northern and Southern Resident Killer whales (Orcinus orca), https://www.canada.ca/en/environment-climate-change/services/species-risk-public-registry/recovery/northern-southern-resident-killer-whale-progress-report-2015-2019.html

13. Postreproductive killer whale grandmothers improve the survival of, https://www.researchgate.net/publication/337102141_Postreproductive_killer_whale_grandmothers_improve_the_survival_of_their_grandoffspring
14. Postreproductive killer whale grandmothers improve the survival of, https://www.pnas.org/doi/10.1073/pnas.1903844116
15. (PDF) Adaptive Prolonged Postreproductive Life Span in Killer Whales, https://www.researchgate.net/publication/230864724_Adaptive_Prolonged_Postreproductive_Life_Span_in_Killer_Whales
16. David K. Ellifrit's research while affiliated with Cook Islands Whale, https://www.researchgate.net/scientific-contributions/David-K-Ellifrit-2159991150
17. Costly lifetime maternal investment in killer whales, https://ore.exeter.ac.uk/articles/journal_contribution/Costly_lifetime_maternal_investment_in_killer_whales/29793077
18. Killer whale mother still feeds 20-year-old son by hand - Facebook, https://www.facebook.com/groups/763379650388481/posts/28173248838974859/
19. Don't mess with menopaused orca moms | Polar Journal, https://polarjournal.net/dont-mess-with-menopaused-orca-moms/
20. Postreproductive female killer whales reduce socially inflicted, https://www.researchgate.net/publication/372523117_Postreproductive_female_killer_whales_reduce_socially_inflicted_injuries_in_their_male_offspring
21. Postreproductive lifespans are rare in mammals - PMC - NIH, https://pmc.ncbi.nlm.nih.gov/articles/PMC5838047/
22. (PDF) Ecological Knowledge, Leadership, and the Evolution of, https://www.researchgate.net/publication/273302232_Ecological_Knowledge_Leadership_and_the_Evolution_of_Menopause_in_Killer_Whales
23. Vocal clans in sperm whales (Physeter macrocephalus), http://whitelab.biology.dal.ca/lr/vocal%20clans%20in%20sperm%20whales.pdf
24. Phylogenetically controlled life history trait meta-analysis in, https://academic.oup.com/evolut/article/77/2/534/6887610
25. Human and nonhuman norms: a dimensional framework, https://www.researchgate.net/publication/377588777_Human_and_nonhuman_norms_a_dimensional_framework
26. (PDF) Nursing Behavior in Sperm Whales (Physeter macrocephalus), https://www.researchgate.net/publication/371113765_Nursing_Behavior_in_Sperm_Whales_Physeter_macrocephalus
27. Underwater acoustic signals of the narwhal (Monodon monoceros), https://www.researchgate.net/publication/237980221_Underwater_acoustic_signals_of_the_narwhal_Monodon_monoceros
28. Evidence of stereotyped contact call use in narwhal (Monodon, https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0254393
29. False killer whales in Hawai'i - https://cascadiaresearch.org, https://cascadiaresearch.org/hawaii-species/false-killer-whales-hawaii/
30. Patterns of foraging ecology in a highly mobile, socially complex, https://royalsocietypublishing.org/rsos/article/13/7/252202/482407/Patterns-of-foraging-ecology-in-a-highly-mobile

31. CRC Cluster 1 False Killer Whale ID Sheet - Cascadia Research, https://cascadiaresearch.org/files/CRC_Cluster_1_Pseudorca_2026AUG.pdf
32. False Killer Whales & Interactions with Hawaii's Fisheries, https://storymaps.arcgis.com/stories/8578c377cb69482193ab5110e9414c4d
33. 10/16/23 – Protected Species Spotlight: False Killer Whales, https://dlnr.hawaii.gov/dar/10-16-23-hawaiis-false-killer-whales/
34. (PDF) Social structure of long-finned pilot whales (Globicephala, https://www.researchgate.net/publication/316467764_Social_structure_of_long-finned_pilot_whales_Globicephala_melas_off_northern_Cape_Breton_Island_Nova_Scotia
35. Lack of intergenerational reproductive conflict, rather than lack of, https://academic.oup.com/beheco/article/34/6/950/7254681
36. Inference on age-specific fertility in ecology and evolution. Learning, https://academic.oup.com/biometrics/article/81/3/ujaf081/8211794
37. Postreproductive representation (PrR) plotted against maximum, https://www.researchgate.net/figure/Postreproductive-representation-PrR-plotted-against-maximum-longevity-in-false-killer_fig5_303970318
38. Methods and Perspectives on the Study of Hominin Adult Life History, https://kernsverlag.com/wp-content/uploads/2025/12/2_Cerrito_Beitrag.pdf
39. The evolutionary ecology of age at natural menopause, https://www.cambridge.org/core/journals/evolutionary-human-sciences/article/evolutionary-ecology-of-age-at-natural-menopause-implications-for-public-health/D4000524F06A2833A57B8E009C3CA423
40. Quantifying the effects of prey abundance on killer whale reproduction, https://www.researchgate.net/publication/227984331_Quantifying_the_effects_of_prey_abundance_on_killer_whale_reproduction