AN-06 Female-dominant and female-led species

Introduction: Deconstructing the Architecture of Female Power in Mammalian Societies

In the study of mammalian behavioral ecology, the historical paradigm heavily emphasized male-biased social dominance. This framework was largely framed by traditional interpretations of Bateman's principle and the operational sex ratio (OSR), which posited that anisogamy—the fundamental asymmetry in gamete size and parental investment—inevitably leads to male-male competition and female choosiness[1]. However, the assumption that males universally dominate females socially and competitively has been systematically dismantled by decades of longitudinal research[3]. Female-dominant and female-led societies, while a minority among mammals, have evolved independently across diverse phylogenetic lineages, driven by specific ecological, demographic, and physiological pressures[6].

This report provides a rigorous evolutionary and behavioral analysis of seven mammalian taxa characterized by female dominance or female leadership: spotted hyenas, Malagasy primates (lemurs), bonobos, naked mole rats, meerkats, African elephants, and orcas. For each taxon, the analysis segregates findings into three distinct analytical layers: physiology (measurable mechanisms like neuroendocrinology and genetics), behaviour (statistical realities, acknowledging overlapping distributions), and culture (variable ecological scaffolding and social learning). Furthermore, the analysis explicitly distinguishes between species-wide averages and individual variations, recognizing that even within female-dominant species, individual males frequently possess physical or competitive advantages over individual females.

1. The Spotted Hyena (*Crocuta crocuta*)

The spotted hyena presents one of the most extreme and thoroughly researched cases of female dominance in mammals. Females are socially dominant over males, exhibit extreme genital masculinization, and structure their societies around strict matrilineal hierarchies[8].

Physiology (Measurable)

Female spotted hyenas are the only known placental mammals to lack an external vaginal opening; they urinate, mate, and give birth through a highly elongated, erectile pseudo-penis, accompanied by a pseudo-scrotum formed by fused labia[8]. The evolutionary origin of this physiological masculinization has been the subject of intense controversy. Early hypotheses, championed by Stephen Jay Gould and early endocrinologists, suggested it was a non-adaptive byproduct of high circulating androgens selected to increase female aggression (the incidental androgenization hypothesis). However, leading critics and embryological researchers, notably Cunha and Glickman (2003), demonstrated that the formation of the penile clitoris is independent of circulating fetal androgens, firmly refuting the byproduct theory[9].

Instead, the adaptive mimicry hypothesis, promoted by Muller and Wrangham (2002), posits that

masculinized genitalia evolved to protect female cubs against infanticide by rendering them indistinguishable from males during vulnerable developmental stages[11]. The physiological maintenance of female dominance relies heavily on maternal androgens (androstenedione and testosterone) during late gestation. Dominant females transfer higher concentrations of androgens to their fetuses, which correlates with increased neonatal aggression and successful siblicide—a critical mechanism for monopolizing resources[13]. Recent epigenetic profiling by Laubach and Holekamp (2019, *Nature Communications*) of 42 high- and low-ranking female hyenas identified 149 differentially methylated regions associated with energy conversion and immune function, proving that socio-environmental inequality alters fundamental molecular biology[15].

Behaviour (Statistical, Overlapping Distributions)

Behaviorally, the dominance of female hyenas is maintained through both intrinsic aggressive attributes and extrinsic coalitionary support. A landmark 2022 analysis by Holekamp and Strauss (*PNAS*) evaluated these drivers, demonstrating that adult females spontaneously aggress at higher rates than males, while males spontaneously submit at higher rates than females, independent of provocation[16].

The controversy over whether female power stems strictly from innate aggression or coalitionary support has been largely resolved by recognizing their synergistic effects. Strauss and Holekamp (2019, *PNAS*) utilized a 27-year dataset to show that social alliances facilitate rank acquisitions and reversals. While coalitionary support helps females elicit submission, adult females can and do dominate immigrant males entirely without support, proving intrinsic behavioral differences[16]. Importantly, there are overlapping distributions in behavior among younger age classes; sex differences in the propensity to emit aggressive acts primarily crystallize during adulthood, meaning individual subadult males may frequently outcompete individual subadult females[17].

Culture (Variable)

Spotted hyenas live in complex, fission-fusion "clans" of up to 130 individuals, culturally resembling the societies of cercopithecine primates[8]. Their cultural layer is defined by strict nepotistic rank inheritance. Cubs acquire a social status immediately below that of their mothers through a behavioral inheritance process involving learning and coalitionary support, rather than strict genetic inheritance[18]. Sakai and Holekamp (2011, *Brain, Behavior and Evolution*) utilized computed tomography to show that this complex cultural structure correlates with a significantly enlarged anterior cerebrum compared to solitary hyena species, providing neuroanatomical evidence for the social intelligence hypothesis in carnivores[21].

Sex	Physiological & Behavioural Costs	Physiological & Behavioural Benefits
Females	Dystocia (difficult birth) through the pseudo-penis	High-ranking matrilines monopolize kills and

	results in ~60% neonatal mortality and a 24.8% reduction in lifetime fitness for primiparous mothers[24].	achieve higher reproductive success; epigenetic methylation buffers against chronic stress[8].
Males	Dispersal from the natal clan forces males to the absolute bottom of a new hierarchy, guaranteeing high stress and low initial resource access[8].	Voluntary submission and lack of physical defense of the clan significantly reduce male-male lethal combat and associated mortality[8].

2. Ring-Tailed Lemurs (*Lemur catta*) and Malagasy Primates

Madagascar's primates are unique among non-human primates for the widespread prevalence of female dominance, ranging from simple feeding priority to absolute physical dominance over males[6].

Physiology (Measurable)

The physiological mechanisms of female dominance in lemurs frequently involve elevated androgen levels, though this presents differently than in hyenas. Drea (2007, 2019, *Hormones and Behavior*, N=24) tested the "Female Masculinization Hypothesis," finding that dominant female *Lemur catta* exhibit significant surges in androstenedione (A4) and testosterone (T) during the breeding season[28]. Furthermore, maternal androgens have organizational effects: prenatal androstenedione negatively predicts the amount of aggression a female offspring receives later in life, cementing her rank[30].

Interestingly, the phenomenon of "transient masculinization" is observed in several Malagasy mammals, most notably the fossa (*Cryptoprocta ferox*), where juvenile females develop an enlarged, spinescent clitoris and os clitoridis that regresses upon sexual maturity[31]. Hawkins and Drea (2002) hypothesized that this physiological mimicry protects juveniles from adult male harassment, allowing them to navigate the social hierarchy safely until reproductive age without incurring the permanent parturition costs seen in hyenas[31].

Behaviour (Statistical, Overlapping Distributions)

Lemur intersexual dominance is highly variable and deeply reliant on statistical distributions. While *Lemur catta* displays intense female-directed aggression, Kappeler (2022, *Biological Reviews*) conducted a meta-analysis of 253 populations across 121 primate species, demonstrating that the operational sex ratio (OSR) and adult sex ratio (ASR) are the primary drivers of sex roles, successfully replicating this finding across multiple Malagasy taxa[3].

Behavioral dominance in lemurs is often a function of "leverage" rather than sheer physical coercion. When males outnumber females, the economic demand for fertilizable eggs creates a market effect, granting females leverage to extract submission and resources from larger

males[5]. In *Propithecus verreauxi* (sifakas), 96% of submissive acts are directed from males to females, yet females only win roughly one-third of active physical conflicts[35]. This reality underscores that female dominance in lemurs heavily overlaps with male physical superiority; females win via systemic male deference and leverage rather than absolute physical overpowering[6].

Culture (Variable)

Culturally and ecologically, female power in Malagasy primates has historically been explained by the "Energy Frugality Hypothesis" proposed by Alison Jolly and Patricia Wright (1984)[36]. Madagascar's highly unpredictable climate, erratic cyclones, and nutrient-poor soils impose severe reproductive costs on females. To successfully gestate and lactate, females established a cultural norm of absolute feeding priority. Kappeler and other leading critics suggest that energy frugality alone cannot explain the variance, advocating instead for the evolutionary disequilibrium hypothesis and ASR market dynamics[37].

Sex	Physiological & Behavioural Costs	Physiological & Behavioural Benefits
Females	High metabolic demands of reproduction in nutrient-poor environments require constant aggressive resource defense[13].	Absolute feeding priority prevents starvation during lactation; transient masculinization deters male harassment during juvenility[31].
Males	Deference in feeding contexts leads to lower average body mass and higher glucocorticoid levels during the breeding season[35].	Submission prevents lethal conflict with highly aggressive, androgenized females, securing necessary mating opportunities[28].

3. Bonobos (*Pan paniscus*)

Bonobos, alongside chimpanzees, are humanity's closest extant relatives, yet they exhibit a radically different social structure defined by reduced male aggression, pervasive socio-sexual behavior, and female social power[41].

Physiology (Measurable)

The physiological architecture of bonobo society is heavily mediated by the neuropeptides oxytocin and vasopressin. Female bonobos engage in high frequencies of genito-genital (GG) rubbing. Surbeck et al. analyzed 971 sexual events (N=19 females, 8 males), demonstrating that this behavior yields significantly greater increases in urinary oxytocin compared to heterosexual copulations[43]. This physiological reward mechanism fosters selective social bonds

and motivates cooperation among unrelated females.
Genetically, bonobos and humans share specific microsatellite repeat lengths on the *AVPR1A* (vasopressin receptor 1a) gene (e.g., the RS3 promoter region) that are linked to socio-sexual bonding and pair maintenance. These repeats are largely absent or differ structurally in the more aggressive common chimpanzee[44]. Furthermore, methylation patterns on the serotonin transporter gene (*5-HTTLPR*) and receptor (*HTR1A*) in the *Pan* genus are strongly correlated with reduced anxiety, lower aggression, and enhanced prosociality. This provides an epigenetic substrate for the bonobo's "self-domesticated" phenotype, which has been consistently replicated in captive and wild populations[44].

Behaviour (Statistical, Overlapping Distributions)

The behavioral dominance of female bonobos is frequently misunderstood as absolute, peaceful egalitarianism. In reality, bonobos exhibit steep, linear dominance hierarchies[48]. A sustained controversy exists regarding whether bonobos exhibit "complete female dominance" (argued historically by Parish, 1996) or "co-dominance" (argued by Surbeck and Furuichi, 2013). This debate has been largely resolved through rigorous network analysis. Surbeck (2025, *Primates*) compiled 30 years of demographic and behavioral data across 6 wild communities, finding that while the highest-ranking individuals are always female, the statistical distributions heavily overlap—certain high-ranking males consistently dominate lower-ranking females (David's scores explicitly confirm this nonexclusive female dominance)[48].
The mechanism for female power is explicitly coalitionary. The "Female Coalition Hypothesis" is strongly supported: 85% of female coalitions target males, and females occupy higher ranks specifically when they form more frequent alliances[49]. Unlike chimpanzee males, who form intense male-male alliances, bonobo males rely on their mothers for rank acquisition; a male's social status is heavily tethered to his mother's rank and her ability to successfully integrate him into the group[50].

Culture (Variable)

Culturally, bonobo female power relies on an ecological release. Bonobos inhabit environments with abundant terrestrial herbaceous vegetation (THV) and lack feeding competition from gorillas (separated by the Congo River), which allows females to forage in large, stable, gregarious parties rather than isolating[41]. Furthermore, female bonobos exhibit prolonged phases of maximum sexual swelling (tumescence), masking ovulation. This concealed fertility severely limits the ability of males to monopolize reproduction through mate-guarding, rendering male-male physical contests less profitable and shifting the cultural paradigm toward female mate choice and male compliance[41].

Sex	Physiological & Behavioural Costs	Physiological & Behavioural Benefits
Females	High energy expenditure required to maintain	Freedom from coercive male mating strategies;

	constant socio-sexual affiliations and coalitionary bonds[41].	priority access to food; reduced infanticide risk[41].
Males	Reproductive success is constrained by maternal rank; males face targeted aggression from coordinated female coalitions[49].	Significantly lower rates of lethal male-male combat compared to chimpanzees; longer lifespans[42].

4. The Naked Mole Rat (*Heterocephalus glaber*)

Naked mole rats exhibit the strictest reproductive hierarchy of any mammal, representing the vertebrate equivalent of insect eusociality. A single dominant female (the queen) breeds with one to three males, while all other colony members are suppressed[54].

Physiology (Measurable)

The naked mole rat provides the only known example of true morphological castes in a vertebrate[54]. O'Riain et al. (2000, *PNAS*) demonstrated through skeletal morphology (N=40 and 31 per colony) that a female transitioning to the role of "queen" undergoes profound physical dimorphism. Post-reproductive onset, the queen's lumbar vertebrae significantly lengthen, allowing her body to elongate to accommodate massive litters (up to 29 pups) within narrow subterranean tunnels[54]. This vertebral elongation is accompanied by a dramatic shift in genetic pathways regulating bone growth, resulting in the thinning of cortical bone in the femurs[57]. This physiological restructuring has been successfully replicated in comparative studies with the Damaraland mole rat (*Fukomys damarensis*) (Thorley et al., 2018)[57].

Subordinates are entirely physiologically suppressed. While subordinates possess identical neuroanatomy in terms of sexual dimorphism, the queen's presence inhibits the hypothalamic-pituitary-gonadal (HPG) axis of all other colony members, rendering them functionally sterile[55].

Behaviour (Statistical, Overlapping Distributions)

Behaviorally, the queen maintains her absolute dominance through physical coercion, frequently shoving and aggressively trampling subordinates to stimulate work and enforce reproductive suppression[58]. Due to the eusocial structure, there are no overlapping distributions of reproduction; the average subordinate has zero lifetime reproductive success. If a queen dies, the suppression is lifted, resulting in violent, often fatal, behavioral conflict among high-ranking subordinate females competing to activate their reproductive physiology and claim the vacant throne[56].

Culture (Variable)

Naked mole rat culture is defined by extreme inbreeding ($r = 0.63–0.88$), resulting from the severe ecological constraints of the arid, impenetrable soils of the Horn of Africa, which make

dispersal nearly suicidal[56]. The cultural division of labor—where non-breeders excavate tunnels, defend the colony from snakes, and provision the queen—maximizes inclusive fitness for the sterile workers, validating kin selection models in a vertebrate species[60].

Sex	Physiological & Behavioural Costs	Physiological & Behavioural Benefits
Queens	Cortical bone thinning increases fracture risk; massive reproductive burden shortens recovery time between litters[57].	Absolute reproductive monopolization; extended lifespan (up to 37 years) compared to non-breeders[60].
Subordinates	Complete physiological suppression of the HPG axis; zero direct reproductive success[55].	Maximization of inclusive fitness by rearing highly related kin; protection from predators within the burrow system[56].

5. Meerkats (*Suricata suricatta*)

Meerkats are cooperatively breeding carnivores of the Kalahari Desert, characterized by intense female-female competition and the highest degree of reproductive skew observed in non-eusocial mammals (the dominant female monopolizes >80% of reproduction)[62].

Physiology (Measurable)

Unlike naked mole rats, subordinate female meerkats are not permanently physiologically sterilized by the dominant female; they are biologically capable of breeding but often exercise self-restraint to avoid the severe consequences of crossing the dominant[64]. Dominance is instead mediated by a dramatic physiological up-regulation in the breeding female. Drea & Davies (2022, *Hormones and Behavior*) proved that dominant females experience massive surges in androgens (testosterone and androstenedione) and glucocorticoids during gestation[66]. In a comprehensive study of 113 wild meerkats, it was found that dominant females exhibit 1,045 differentially expressed genes compared to subordinates, specifically upregulating innate immune pathways (TLR4/NFkB) in response to physical competition; remarkably, male meerkats showed no such gene expression signatures of dominance, highlighting a strictly female-driven physiological hierarchy[67].

While maternal androgens confer high competitive aggression to the matriarch, they impose severe physiological costs. Pups exposed to the highest prenatal androgens suffer impaired immune function and increased parasitism[66]. Furthermore, intense early-life competition accelerates cellular aging. Cram et al. (2017, *Proc. R. Soc. B*) demonstrated that meerkat pups born into large cohorts experience significantly faster telomere attrition (shortening of chromosomal caps), which predicts reduced survival to adulthood[70].

Behaviour (Statistical, Overlapping Distributions)

Behaviorally, Clutton-Brock (2006, *Nature*, N=18 eviction events) established that dominant females ruthlessly evict subordinate females—often their own daughters or sisters—during the latter half of the dominant's pregnancy to eliminate competition for limited allomaternal care[62]. If an evicted subordinate manages to give birth, the dominant female routinely commits infanticide against the subordinate's pups[72]. To survive this despotic regime, subordinates exhibit extreme behavioral and phenotypic plasticity, actively down-regulating their own body growth to avoid appearing as a physical threat to the matriarch, and aggressively increasing their food intake only if a rival subordinate experiences a growth spurt[74].

Culture (Variable)

The cultural architecture of meerkats relies on cooperative rearing dictated by harsh ecological constraints. The arid Kalahari environment guarantees that pup survival is impossible without a ratio of several non-breeding helpers per pup[63]. The matriarch essentially enslaves the reproductive potential of the group, forcing evicted subordinates to either abort their litters to be allowed back into the group as wet-nurses, or face starvation and predation in the desert[75].

Sex	Physiological & Behavioural Costs	Physiological & Behavioural Benefits
Dominant Females	High allostatic load from continuous aggressive enforcement; maternal androgens compromise offspring immune function[66].	Monopolizes >80% of group reproduction; utilizes subordinate labor to raise own pups[63].
Subordinate Females	High risk of targeted eviction, stress-induced abortion, and infanticide of their own pups[62].	Inclusive fitness gains by raising highly related pups; avoiding the immediate mortality risks of dispersal[62].

6. African Elephants (*Loxodonta africana*)

Elephants present a model of female leadership built not on despotic reproductive suppression, but on the accumulation and dissemination of ecological and social knowledge over a prolonged lifespan[76].

Physiology (Measurable)

The physiological health of female elephants is deeply intertwined with their social integration. Female elephants reside in tight-knit, matrilineal core groups. Endocrine studies measuring fecal glucocorticoid metabolites (fGCM) show that the mother-calf bond and the presence of age-mates provide vital "social buffering" that mitigates physiological stress responses[78]. Tragically, this physiological reliance on social structure makes elephants highly vulnerable to

anthropogenic disruption. Gobush et al. (2008) and Goldenberg et al. (2016) demonstrated (analyzing 218 adult female elephants from 109 groups) that orphans who lose their mothers to poaching suffer from chronically altered stress physiology. The systemic loss of older matriarchs leaves remaining females with chronically elevated glucocorticoid levels and significantly lower reproductive output, persisting over a decade after poaching events end. This finding has been replicated across multiple heavily poached reserves[78].

Behaviour (Statistical, Overlapping Distributions)

Elephant leadership is fundamentally a gerontocracy. In a seminal study (N=39 family units), McComb et al. (2001, *Science*) tested the "Matriarchs as Repositories of Social Knowledge" hypothesis. By playing back the recorded acoustic contact calls of familiar and unfamiliar elephants (and simulating 3 lions vs. 1 lion), they proved that families led by the oldest matriarchs (e.g., >55 years old) were significantly more adept at distinguishing between genuine social threats and harmless neighbors compared to herds led by younger matriarchs (e.g., <35 years old)[76]. Because cognitive capability and memory scale tightly with age, individual older females systematically outperform averages of younger females in defensive decision-making, which translates directly to higher calf survival rates in their herds[76].

Culture (Variable)

Elephants navigate massive home ranges using fission-fusion dynamics, communicating across kilometers using infrasonic rumbles (low-frequency sound waves traveling through the ground)[83]. The cultural power of the matriarch stems from her memory map of the environment—recalling the location of permanent water sources during decadal droughts and steering the family away from areas associated with historical human hunting[77]. Male elephants, who disperse at puberty, lack this cumulative social integration, placing the burden of cultural and ecological survival entirely on female leadership.

Sex	Physiological & Behavioural Costs	Physiological & Behavioural Benefits
Females	High physiological vulnerability to social disruption (poaching); loss of matriarch elevates fGCM and lowers fecundity[78].	Increased calf survival due to matriarch's ecological memory; profound social buffering against environmental stressors[76].
Males	Mandatory dispersal at puberty removes males from the protective social buffering of the natal herd[80].	Independence allows for vast roaming to maximize mating opportunities without depleting local matriarchal food resources[84].

7. Orcas (*Orcinus orca*)

Orcas (killer whales) share a rare physiological trait with humans and a few other toothed whales: a prolonged post-reproductive lifespan (menopause), which fundamentally restructures their societal power dynamics[86].

Physiology (Measurable)

Female orcas cease reproducing in their 30s or 40s but can live into their 90s, whereas males rarely survive past 30[88]. The evolution of menopause has generated intense academic debate between the "live-long" (Grandmother Hypothesis) and "stop-early" (Reproductive Conflict Hypothesis) models.

Recent meta-analyses resolve this by integrating both[87]. Johnstone and Cant (2010, *PNAS*) utilized 43 years of demographic data to establish that female orcas experience unusual demographic kinship dynamics: because neither sex disperses from the natal pod, a female's genetic relatedness to her local group *increases* as she ages (as her sons remain with her, siring calves in other pods that are raised elsewhere, while her daughters' calves stay)[89]. Therefore, older females gain massive inclusive fitness by shutting down their own reproduction to invest physiological and energetic resources into their adult sons[88].

Behaviour (Statistical, Overlapping Distributions)

Behaviorally, reproductive conflict enforces the cessation of breeding. When a mother and her daughter breed simultaneously, the mortality hazard ratio for the older mother's calf is 1.7 times higher than that of her daughter's calf, because younger females outcompete older females for resources to feed their offspring. This statistical reality makes continued reproduction maladaptive for the matriarch[89].

Once post-reproductive, female orcas assume the role of apex ecological leaders. Brent et al. (2015, *Current Biology*) analyzed over 750 hours of video tracking group movement, demonstrating that post-reproductive females physically lead the pod's foraging efforts. Crucially, this leadership becomes highly pronounced during years when Chinook salmon abundance is critically low[91]. Foster et al. (2012, *Science*, N=589 individuals, 297 deaths) demonstrated that the survival of adult sons is so heavily dependent on the matriarch's behavioral guidance that the death of a post-reproductive mother increases the mortality risk of her adult sons by a hazard ratio of 8.3 in the following year (an effect thoroughly replicated across Northern and Southern resident populations)[88].

Culture (Variable)

The cultural layer of the orca pod is entirely matrilineal. The matriarch serves as the central hub of the pod's social network, directing movement, sharing salmon with her sons, and transmitting localized hunting strategies (e.g., intentional beaching to catch seals). The total reliance on female elders for cultural transmission of foraging tactics mirrors the knowledge-repository dynamics of elephants, establishing female leadership as an informational imperative[88].

Sex	Physiological & Behavioural Costs	Physiological & Behavioural Benefits

Females	Complete cessation of direct reproduction by age ~40 due to lethal resource competition with their own daughters[89].	Massive inclusive fitness gains by guiding the survival and reproductive success of adult sons for decades post-menopause[89].
Males	Extreme dependence on the matriarch; a son's mortality risk spikes 8.3x following the death of his post-reproductive mother[88].	Receives direct provisioning and ecological guidance, drastically increasing lifespan and mating success while the mother lives[88].

General Lessons on Female Power in Nature

An exhaustive analysis of these seven taxa yields several unified insights into how female power is constructed across the mammalian class:

First, **female dominance is rarely absolute at the individual level; it is statistical and coalitional.** As observed in bonobos and lemurs, the distributions of male and female physical power frequently overlap. Female dominance does not require every female to be physically larger or more aggressive than every male. Instead, it relies on social leverage, network centrality, and coordinated coalitionary violence to achieve structural authority[6].

Second, **female power is heavily mediated by the physiological manipulation of reproduction.** In hyenas and meerkats, dominance is enforced through morphological weaponry (the pseudo-penis) and ruthless reproductive suppression (eviction and infanticide) fueled by gestational androgens[9]. In contrast, bonobos leverage concealed ovulation and prolonged sexual tumescence to devalue male-male combat, using sexuality as a tool for social cohesion[41].

Third, **the ultimate manifestation of female leadership often transcends physical coercion and relies on information.** In the longest-lived, highly encephalized species (elephants and orcas), female power is uncoupled from physical aggression entirely. It is instead defined by gerontocracy—the value of a female is determined by her decades of accumulated ecological knowledge, which becomes the lifeblood of the group's survival during environmental crises[76].

Summary of Robust Findings

The robust empirical evidence across these taxa demonstrates that male social dominance is not the evolutionary default for mammals. Spotted hyena dominance is maintained synergistically through intrinsic aggression and extrinsic coalitionary support, aided by high maternal androgens[13]. Lemur female leverage is largely dictated by Adult Sex Ratios, extracting submission from males via market dynamics[3]. Bonobo societies, rather than being purely egalitarian, feature steep, female-led hierarchies maintained by coalitions where 85% of aggressive acts target males, facilitated by *AVPR1A* and *5-HTTLPR* genetic configurations[44]. In cooperative breeders, naked mole rat queens alter their bone morphology to accommodate

massive litters and physiologically sterilize subordinates[54], while dominant meerkats use extreme behavioural eviction and infanticide to monopolize >80% of reproduction, causing accelerated telomere attrition in their stressed offspring[63]. Finally, in highly encephalized mammals like elephants and orcas, female leadership is an informational gerontocracy; post-reproductive orca matriarchs increase their adult sons' survival hazard ratio by over 8-fold, and older elephant matriarchs guarantee higher calf survival through superior acoustic discrimination of predators[76].

Contested or Open Questions

Topic	The Controversy	Leading Critics & Proponents
Evolution of the Hyena Pseudo-Penis	Did it evolve as a non-adaptive byproduct of selection for female aggression, or as an adaptive morphological mimicry to protect female cubs from infanticide?	**Proponents of Byproduct:** S.J. Gould, early endocrinologists. **Critics/Proponents of Adaptation:** Frank & Glickman, Muller & Wrangham (2002)[9].
Bonobo Dominance Classification	Is bonobo society characterized by "complete female dominance" or a "co-dominance" where distributions overlap and high-ranking males outcompete low-ranking females?	**Complete Dominance:** Parish (1996). **Co-Dominance:** Surbeck & Furuichi (2013, 2025)[48].
Lemur Female Leverage Drivers	Did absolute feeding priority evolve strictly due to the energetic demands of Madagascar's harsh environment, or as a byproduct of market dynamics driven by Adult Sex Ratios (ASR)?	**Energy Frugality:** Jolly (1984), Wright. **ASR/Market Dynamics:** Kappeler (2022)[3].
Subordinate Suppression	In cooperative breeders	**Active Suppression:**

Mechanisms	(meerkats/mole rats), to what extent is subordinate sterility actively forced by dominant-induced physiological stress vs. voluntary subordinate phenotypic restraint to avoid eviction?	General consensus for mole rats. **Voluntary Restraint:** Young, Clutton-Brock (2006) for meerkats[55].

The 5 to 10 Most Important Sources to Read in Full

Authors & Year	Journal	Title	Relevance
Holekamp, K.E. et al. (2022)	*PNAS*	Evaluating drivers of female dominance in the spotted hyena	Resolves the intrinsic vs. extrinsic support debate regarding matrilineal hierarchies[16].
Kappeler, P.M. et al. (2022)	*Biological Reviews*	Sex roles and sex ratios in animals	Exhaustive meta-analysis (253 populations) showing ASR/OSR market effects on dominance[3].
Surbeck, M. et al. (2025)	*Primates*	Drivers of female power in bonobos	30-year dataset network analysis proving coalitions are the primary mechanism for bonobo female power[49].
Drea, C.M. & Davies, C.S. (2022)	*Hormones and Behavior*	Meerkat manners: Endocrine mediation of female dominance...	Details the androgenic mechanisms and immunosuppressive costs of meerkat despotism[66].

O'Riain, M.J. et al. (2000)	*PNAS*	Morphological castes in a vertebrate	The foundational paper identifying skeletal dimorphism (lumbar lengthening) in mole rat queens[54].
Johnstone, R.A. & Cant, M.A. (2010)	*PNAS*	The evolution of menopause in cetaceans and humans...	The theoretical backbone of the reproductive conflict hypothesis for post-reproductive lifespans[87].
Brent, L.J.N. et al. (2015)	*Current Biology*	Ecological knowledge, leadership, and the evolution of menopause...	Empirical proof from >750 hours of video showing post-reproductive female orcas lead foraging[91].
McComb, K. et al. (2001)	*Science*	Matriarchs as repositories of social knowledge in African elephants	Proves the fitness value of gerontocratic female leadership via acoustic playback experiments[76].

Implications for Living Together

Note: The following observations extrapolate structural and organizational dynamics from animal models to human groups (couples, families, small groups, organisations, societies). They are strictly descriptive of functional systems and deliberately avoid the naturalistic fallacy; the existence of a biological mechanism in nature does not constitute a moral or ethical directive for human behavior. Natural does not mean good.

The natural world demonstrates that male social dominance is neither an evolutionary inevitability nor the default state of complex mammalian organization. When evaluating how men and women can optimally co-exist and organize in human societies, several structural principles emerge from female-dominant taxa:

1. The Power of Coalitions Over Coercion

In species lacking extreme physical dimorphism, female power is achieved through cohesive, highly communicative social networks. Bonobos demonstrate that organizational power does

not require the absolute physical defeat of males; it requires women to reliably form and maintain alliances that act collectively. In human organizations, fostering robust, horizontal support networks is a highly effective, statistically proven mechanism for achieving institutional parity, circumventing the need to out-compete larger individuals in isolated, zero-sum aggressive contests.

2. The Leverage of Market Dynamics

As seen in lemur societies, social power fluctuates based on demographic supply and demand (the Adult Sex Ratio). In human couples, families, and dating markets, recognizing that bargaining power—regarding domestic labor, relationship terms, or mating selectivity—shifts predictably with demographic imbalances can help societies anticipate and mitigate gender-based conflicts. Gender norms often act as cultural mediators of these biological market forces, but the underlying economic leverage remains a potent driver of intersexual compromise.

3. The Uncoupling of Aggression from Leadership

Elephants and orcas demonstrate the ultimate evolutionary refinement of leadership: a transition from physical dominance to informational authority. In long-lived, highly social species, the most valuable leaders are those who possess deep historical and ecological memory. For human families and corporate structures, prioritizing institutional knowledge, conflict mediation, and long-term strategic foresight (traits hone over decades of post-reproductive life) over aggressive, short-term dominance hierarchies yields greater stability and collective survival during periods of environmental or economic scarcity.

4. The Hidden Costs of Despotism

The meerkat and mole rat models warn of the devastating physiological consequences of absolute, despotic female dominance. While highly effective for short-term genetic monopolization, extreme intrasexual competition inflicts severe stress, accelerated cellular aging (telomere attrition), and immunosuppression on both subordinates and the dominant's own offspring. Human organizations must recognize that hyper-competitive, "winner-take-all" environments—regardless of whether they are male- or female-led—generate profound psychological and physiological deterioration within the group. Cooperative frameworks that diffuse stress and share reproductive/economic dividends are functionally superior for sustainable, long-term health.

Works cited

1. Male Choice, Female Competition, and Female Ornaments in, https://www.researchgate.net/publication/363351690_Male_Choice_Female_Competition_and_Female_Ornaments_in_Sexual_Selection
2. Female–female aggression around mating: an extra cost of sociality, https://academic.oup.com/beheco/article/22/5/1003/252162
3. Sex roles and sex ratios in animals, https://pub.uni-bielefeld.de/download/2966853/2986321/Biological%20Reviews%20-%202022%20-%20Kappeler%20-%20Sex%20roles%20and%20sex%20ratios%20in%20animals.pdf
4. Social competition and its consequences in female mammals,

https://fcen.uncuyo.edu.ar/catedras/2013-clutton-brock-huchard.pdf
5. The evolution of male–female dominance relations in primate societies, https://www.researchgate.net/publication/393475431_The_evolution_of_male-female_dominance_relations_in_primate_societies
6. The Island of Female Power? Intersexual Dominance Relationships, https://www.frontiersin.org/journals/ecology-and-evolution/articles/10.3389/fevo.2022.858859/full
7. (PDF) Evolutionary Patterns of Intersexual Power - ResearchGate, https://www.researchgate.net/publication/376055444_Evolutionary_Patterns_of_Intersexual_Power
8. Spotted hyena - Wikipedia, https://en.wikipedia.org/wiki/Spotted_hyena
9. Sexual Mimicry in Hyenas - DASH (Harvard), https://dash.harvard.edu/bitstreams/162ac443-f6d8-40c5-abb1-1a07c9f43723/download
10. (a) A cross-section through the penile shaft of a neonatal male, https://www.researchgate.net/figure/a-A-cross-section-through-the-penile-shaft-of-a-neonatal-male-spotted-hyena-27-A_fig4_6783531
11. Infanticide by females is a leading source of juvenile mortality in a, https://www.biorxiv.org/content/10.1101/2020.05.02.074237v3.full.pdf
12. Sexual Mimicry In Hyenas - ResearchGate, https://www.researchgate.net/publication/11405161_Sexual_Mimicry_In_Hyenas
13. Endocrine correlates of pregnancy in the ring-tailed lemur (Lemur, https://www.researchgate.net/publication/47382059_Endocrine_correlates_of_pregnancy_in_the_ring-tailed_lemur_Lemur_catta_Implications_for_the_masculinization_of_daughters
14. The influence of androgenic steroid hormones on female aggression, https://pmc.ncbi.nlm.nih.gov/articles/PMC3826213/
15. Epigenetic signatures of social status in wild female spotted hyenas, https://pmc.ncbi.nlm.nih.gov/articles/PMC10978994/
16. Evaluating drivers of female dominance in the spotted hyena, https://www.researchgate.net/publication/366466938_Evaluating_drivers_of_female_dominance_in_the_spotted_hyena
17. Evaluating drivers of female dominance in the spotted hyena, https://www.frontiersin.org/journals/ecology-and-evolution/articles/10.3389/fevo.2022.934659/full
18. Social alliances improve rank and fitness in convention-based, https://www.pnas.org/doi/10.1073/pnas.1810384116
19. (PDF) Social alliances improve rank and fitness in convention-based, https://www.researchgate.net/publication/331681746_Social_alliances_improve_rank_and_fitness_in_convention-based_societies
20. Social alliances improve rank and fitness in convention-based, https://www.pnas.org/doi/pdf/10.1073/pnas.1810384116
21. When did spotted hyenas become social? Evidence from fossil, https://www.researchgate.net/publication/397650992_When_did_spotted_hyenas_become_social_Evidence_from_fossil_endocasts

22. (PDF) Brain Size and Social Complexity: A Computed Tomography, https://www.researchgate.net/publication/49850171_Brain_Size_and_Social_Complexity_A_Computed_Tomography_Study_in_Hyaenidae
23. Brain size predicts problem-solving ability in mammalian carnivores, https://www.pnas.org/doi/pdf/10.1073/pnas.1505913113
24. Giving birth through a penile clitoris: parturition and dystocia in the, https://www.researchgate.net/publication/229989270_Giving_birth_through_a_penile_clitoris_parturition_and_dystocia_in_the_spotted_hyaena_Crocuta_crocuta
25. Annurev Animal 050622 043424 | PDF | Sex | Reproductive System, https://www.scribd.com/document/840906583/annurev-animal-050622-043424
26. Post-weaning maternal effects and the evolution of female ... - PMC, https://pmc.ncbi.nlm.nih.gov/articles/PMC2677617/
27. Patterns of female dominance in Propithecus diadema edwardsi of, https://www.researchgate.net/publication/8965444_Patterns_of_Female_Dominance_in_Propithecus_diadema_edwardsi_of_Ranomafana_National_Park_Madagascar
28. Organizational and Activational Androgens, Lemur Social Play, and, https://www.researchgate.net/publication/334746844_Organizational_and_Activational_Androgens_Lemur_Social_Play_and_the_Ontogeny_of_Female_Dominance
29. Mammalian sexual differentiation: lessons from the spotted hyena., https://www.semanticscholar.org/paper/Mammalian-sexual-differentiation%3A-lessons-from-the-Glickman-Cunha/4edc97a8defd1000ebd9a88adbcf9324dcb48e10
30. Rates of aggression received by young ring-tailed lemurs of both, https://www.researchgate.net/figure/Rates-of-aggression-received-by-young-ring-tailed-lemurs-of-both-sexes-as-predicted-by_fig4_334746844
31. Transient masculinization - Wikipedia, https://en.wikipedia.org/wiki/Transient_masculinization
32. (PDF) Transient Masculinization in the Fossa, Cryptoprocta ferox, https://www.researchgate.net/publication/11492369_Transient_Masculinization_in_the_Fossa_Cryptoprocta_ferox_Carnivora_Viverridae1
33. Transient Masculinization in the Fossa, Cryptoprocta ferox ... - BioOne, https://bioone.org/journalArticle/Download?urlid=10.1095%2Fbiolreprod66.3.610
34. Sex roles in the animal kingdom are driven by the ratio of females to, https://www.sciencedaily.com/releases/2022/11/221129134414.htm
35. Patterns of male dispersal in Verreaux's sifaka (Propithecus, https://www.researchgate.net/publication/280909579_Patterns_of_male_dispersal_in_Verreaux's_sifaka_Propithecus_verreauxi_at_Kirindy_Mitea_National_Park
36. Thank you, Madagascar: The Conservation Diaries of Alison Jolly, https://dokumen.pub/thank-you-madagascar-the-conservation-diaries-of-alison-jolly-9781350222908-9781783603176.html
37. Ecological Flexibility of the Southern Bamboo Lemur (Hapalemur, https://scispace.com/pdf/ecological-flexibility-of-the-southern-bamboo-lemur-4ywrw903u0.pdf
38. Total Energy Expenditure and Body Composition in Two Free-Living, https://pmc.ncbi.nlm.nih.gov/articles/PMC2845615/

39. Sex roles in the animal kingdom are driven by the ratio of females to, https://nachrichten.idw-online.de/2022/11/29/sex-roles-in-the-animal-kingdom-are-driven-by-the-ratio-of-females-to-males
40. Female dominance, male deference, and seasonal hormone, https://www.researchgate.net/publication/357824657_Integrating_the_female_masculinization_and_challenge_hypotheses_Female_dominance_male_deference_and_seasonal_hormone_fluctuations_in_adult_blue-eyed_black_lemurs_Eulemur_flavifrons
41. Attractiveness of female sexual signaling predicts differences in, https://pmc.ncbi.nlm.nih.gov/articles/PMC8460808/
42. The Origins of Human Cooperation Through Intergroup Relations, https://ecoevorxiv.org/repository/object/11002/download/20383/
43. Sexual interactions among female bonobos are linked ... - MPG.PuRe, https://pure.mpg.de/rest/items/item_3157883_7/component/file_3163905/content
44. AVPR1A RS3 and relationship maintenance processes in newlywed, https://www.frontiersin.org/journals/psychology/articles/10.3389/fpsyg.2025.1303065/pdf
45. (PDF) Social cognition and brain organization in chimpanzees (Pan, https://www.researchgate.net/publication/326404486_Social_cognition_and_brain_organization_in_chimpanzees_Pan_troglodytes_and_bonobos_Pan_paniscus
46. The Role of Serotonergic Gene Methylation in Regulating Anxiety, https://pmc.ncbi.nlm.nih.gov/articles/PMC9687614/
47. The Role of Serotonergic Gene Methylation in Regulating Anxiety, https://www.researchgate.net/publication/365470370_The_Role_of_Serotonergic_Gene_Methylation_in_Regulating_Anxiety-Related_Personality_Traits_in_Chimpanzees
48. (PDF) Sex Differences in the Steepness of Dominance Hierarchies, https://www.researchgate.net/publication/227156283_Sex_Differences_in_the_Steepness_of_Dominance_Hierarchies_in_Captive_Bonobo_Groups
49. Drivers of female power in bonobos - ResearchGate, https://www.researchgate.net/publication/391121128_Drivers_of_female_power_in_bonobos
50. Whither dominance? An enduring evolutionary legacy of primate, https://www.cambridge.org/core/journals/personality-neuroscience/article/whither-dominance-an-enduring-evolutionary-legacy-of-primate-sociality/5BD3B2FA055F4FAEF773B32E750911F2
51. Mothers matter! Maternal support, dominance status and mating, https://royalsocietypublishing.org/rspb/article/278/1705/590/73474/Mothers-matter-Maternal-support-dominance-status
52. Chimpanzees are not more aggressive than bonobos but target, https://pure.mpg.de/rest/items/item_3701896_2/component/file_3701904/content
53. Comparison of male conflict behavior in chimpanzees (Pan, https://www.eva.mpg.de/documents/Wiley-Blackwell/Surbeck_Comparison_AmJPrim_2017_2382707.pdf
54. Morphological castes in a vertebrate - PNAS,

https://www.pnas.org/doi/10.1073/pnas.97.24.13194
55. Social control of brain morphology in a eusocial mammal - PNAS, https://www.pnas.org/doi/10.1073/pnas.0610344104
56. Neuroendocrinology and Sexual Differentiation in Eusocial Mammals, https://pmc.ncbi.nlm.nih.gov/articles/PMC2748139/
57. Morphological and genomic shifts in mole-rat 'queens' increase, https://elifesciences.org/articles/65760
58. The dissection of a despotic society: exploration, dominance and, https://royalsocietypublishing.org/rspb/article/291/2022/20240371/116406/The-dissection-of-a-despotic-society-exploration
59. Cooperative behaviour in naked mole-rats (Heterocephalus glaber, https://phaidra.vetmeduni.ac.at/api/object/o:1564/get
60. Pup Recruitment in a Eusocial Mammal—Which Factors Influence, https://www.mdpi.com/2076-2615/13/4/630
61. (PDF) The Life History of Damaraland Mole-rats Fukomys Damarensis, https://www.researchgate.net/publication/328215846_The_Life_History_of_Damaraland_Mole-rats_Fukomys_Damarensis_Growth_Ageing_and_Behaviour
62. Dispersal Decreases Survival but Increases Reproductive, https://www.journals.uchicago.edu/doi/10.1086/719029
63. Exceptional endocrine profiles characterise the meerkat: sex, status, https://ueaeprints.uea.ac.uk/id/document/82949
64. Physiological suppression eases in Damaraland mole-rat societies, https://static1.squarespace.com/static/5734f1528259b5bc956e01e9/t/5c156ea50ebbe81cdf288d72/1544908454501/Young+et+al+2010+-+Physiological+suppression+eases+in+Damaraland+mole-rat+societies+when+ecological+constraints+on+dispersal+are+relaxed.pdf
65. The causes of physiological suppression in vertebrate societies, https://www.researchgate.net/publication/286360604_The_causes_of_physiological_suppression_in_vertebrate_societies_A_synthesis
66. Meerkat manners: Endocrine mediation of female dominance and, https://www.researchgate.net/publication/362784354_Meerkat_manners_Endocrine_mediation_of_female_dominance_and_reproductive_control_in_a_cooperative_breeder
67. A female-biased gene expression signature of dominance in ... - PMC, https://pmc.ncbi.nlm.nih.gov/articles/PMC11521775/
68. A female-biased gene expression signature of dominance in ... - DOI, https://doi.org/10.1111/mec.17467?urlappend=%3Futm_source%3Dresearchgate.net%26utm_medium%3Darticle
69. Maternal Androgens in Dominant Meerkats (Suricata suricatta ... - PMC, https://pmc.ncbi.nlm.nih.gov/articles/PMC11581709/
70. Effects of early-life competition and maternal nutrition on telomere, https://www.researchgate.net/publication/319385342_Effects_of_early-life_competition_and_maternal_nutrition_on_telomere_lengths_in_wild_meerkats
71. Stress and the suppression of subordinate reproduction in ... - PMC, https://pmc.ncbi.nlm.nih.gov/articles/PMC1567688/

72. Meerkats: Cooperative breeding in the Kalahari 17, https://resolve.cambridge.org/core/services/aop-cambridge-core/content/view/E360D7E5A5F4873E7063352466D4F21C/9781107338357c17_p294-317_CBO.pdf/meerkats-cooperative-breeding-in-the-kalahari.pdf
73. MBV Bell's research while affiliated with University of Cambridge, https://www.researchgate.net/scientific-contributions/M-B-V-Bell-31101244
74. Competitive growth in a cooperative mammal - PMC - NIH, https://pmc.ncbi.nlm.nih.gov/articles/PMC4888951/
75. Food availability shapes patterns of helping effort in a cooperative, https://www.researchgate.net/publication/256655007_Food_availability_shapes_patterns_of_helping_effort_in_a_cooperative_mongoose
76. (PDF) Elephant Hunting and Conservation - ResearchGate, https://www.researchgate.net/publication/11777738_Elephant_Hunting_and_Conservation
77. Social Disruption Impairs Predatory Threat Assessment in African, https://www.mdpi.com/2076-2615/12/4/495
78. Social support correlates with glucocorticoid concentrations in wild, https://pmc.ncbi.nlm.nih.gov/articles/PMC9283395/
79. Social support correlates with glucocorticoid concentrations in wild, https://www.researchgate.net/publication/362004153_Social_support_correlates_with_glucocorticoid_concentrations_in_wild_African_elephant_orphans
80. Long-Term Impacts of Poaching on Relatedness, Stress Physiology, https://www.researchgate.net/publication/23226091_Long-Term_Impacts_of_Poaching_on_Relatedness_Stress_Physiology_and_Reproductive_Output_of_Adult_Female_African_Elephants
81. Matriarchs As Repositories of Social Knowledge in African Elephants, https://www.researchgate.net/publication/12020338_Matriarchs_As_Repositories_of_Social_Knowledge_in_African_Elephants
82. Simulated poaching affects connectedness and efficiency in social, https://www.biorxiv.org/content/10.1101/2020.08.24.252536v1.full.pdf
83. (PDF) Elephant cognition in primate perspective - ResearchGate, https://www.researchgate.net/publication/241560129_Elephant_cognition_in_primate_perspective
84. African Elephant Alarm Calls Distinguish between Threats from, https://www.researchgate.net/publication/260447868_African_Elephant_Alarm_Calls_Distinguish_between_Threats_from_Humans_and_Bees
85. The status of African elephant Loxodonta africana populations in, https://www.cambridge.org/core/journals/oryx/article/status-of-african-elephant-loxodonta-africana-populations-in-south-africa/1164A762534C3CB410B05A106AD96C80
86. Evolution of menopause - Wikipedia, https://en.wikipedia.org/wiki/Evolution_of_menopause
87. Reproductive conflict and the evolution of menopause - ResearchGate, https://www.researchgate.net/publication/282763123_Reproductive_conflict_and_the_evolution_of_menopause

88. (PDF) Adaptive Prolonged Postreproductive Life Span in Killer Whales, https://www.researchgate.net/publication/230864724_Adaptive_Prolonged_Postreproductive_Life_Span_in_Killer_Whales
89. (PDF) Reproductive Conflict and the Evolution of Menopause in, https://www.researchgate.net/publication/312320525_Reproductive_Conflict_and_the_Evolution_of_Menopause_in_Killer_Whales
90. The evolution of menopause in toothed whales, https://eprints.whiterose.ac.uk/id/eprint/208900/3/s41586-024-07159-9.pdf
91. Our Research - Center for Whale Research, https://www.whaleresearch.com/orcasurvey
92. Postreproductive killer whale grandmothers improve the survival of, https://pmc.ncbi.nlm.nih.gov/articles/PMC6936675/
93. When to learn from elders or peers: accessibility-knowledgeability, https://www.biorxiv.org/content/10.64898/2026.06.16.732531.full
94. Mortality risk and social network position in resident killer whales, https://royalsocietypublishing.org/rspb/article/284/1865/20171313/78671/Mortality-risk-and-social-network-position-in